Author Index

Axelsson, A., see Miyakita, T. (60) 149

Buettger, C., see Oberholtzer, J.C. (60) 103

Cecil, T., see Schweitzer, L. (60) 34
Cheatham, M.A. and Dallos, P.
Two-tone suppression in inner hair cell responses: Correlates of rate suppression in the auditory nerve (60) 1
Coleman, J.R., see Newton, E.H. (60) 73
Cooper, Jr., W.A., see Newton, E.H. (60) 73
Curtis, L.M., see Ten Cate, W.J.F. (60) 199

Dallos, P., see Cheatham, M.A. (60) 1
Denk, W. and Webb, W.W.
Forward and reverse transduction at the limit of sensitivity studied by correlating electrical and mechanical fluctuations in frog saccular hair cells (60) 89
Dezsö, A., see Schwarz, D.W.F. (60) 110

Elkind-Hirsch, K.E., Stoner, W.R., Stach, B.A. and Jerger, J.F.
Estrogen influences auditory brainstem responses during the normal menstrual cycle (60) 143
Epping, W.J.M., see Melssen, W.J. (60) 178

Frimanson, E., see Miyakita, T. (60) 149
Frömter, E., see Gitter, A.H. (60) 13

Gitter, A.H., Frömter, E. and Zenner, H.P.
C-type potassium channels in the lateral cell membrane of guinea-pig outer hair cells (60) 13
Gitter, A.H., see Reuter, G. (60) 236
Gorga, M., see Walsh, E.J. (60) 53

Hellström, P.-A., see Miyakita, T. (60) 149
Hozawa, K., see Suzuki, H. (60) 45

Iwano, T., see Kawasaki, K. (60) 64

Jerger, J.F., see Elkind-Hirsch, K.E. (60) 143

Kaltenbach, J.A., Schmidt, R.N. and Kaplan, C.R.
Tone-induced stereocilia lesions as a function of exposure level and duration in the hamster cochlea (60) 205
Kaplan, C.R., see Kaltenbach, J.A. (60) 205
Kawasaki, K., Yamamoto, A., Omori, K., Iwano, T., Kumazawa, T. and Tashiro, Y.
Quantitative immunoelectron microscopic localization of Na, K-ATPase α-subunit in the epithelial cells of rat vestibular apparatus (60) 64
Kössl, M.
High frequency distortion products from the ears of two bat species, *Megaderma lyra* and *Carollia perspicillata* (60) 156
Kumazawa, T., see Kawasaki, K. (60) 64

Langner, G.
Periodicity coding in the auditory system (60) 115
Lee, Y.C., see Suzuki, H. (60) 45
Lehtonen, E., see Ylikoski, J. (60) 80

Matschinsky, F.M., see Oberholtzer, J.C. (60) 103
McGee, J.A., see Walsh, E.J. (60) 53
Melssen, W.J. and Epping, W.J.M.
Selectivity for temporal characteristics of sound and interaural time difference of auditory midbrain neurons in the grassfrog: A system theoretical approach (60) 178
Miyakita, T., Hellström, P.-A., Frimanson, E. and Axelsson, A.
Effect of low level acoustic stimulation on temporary threshold shift in young humans (60) 149
Morizono, T., see Tono, T. (60) 27

Newton, E.H., Cooper, Jr., W.A. and Coleman, J.R.
Rate and frequency interactions in the auditory brainstem response of the adult rat (60) 73

Oberholtzer, J.C., Buettger, C., Summers, M.C. and Matschinsky, F.M.
Metabolic labelling and quantitation of proteins synthesized by single chick cochleas (60) 103
Omori, K., see Kawasaki, K. (60) 64

Parks, T.N., see Zhou, N. (60) 20
Patuzzi, R. and Rajan, R.
Additivity of threshold elevations produced by disruption of outer hair cell function (60) 165
Patuzzi, R.B., see Rajan, R. (60) 216
Pirvola, U., see Ylikoski, J. (60) 80

Rajan, R. and Patuzzi, R.B.
Additivity of threshold losses produced by acute acoustic trauma (60) 216
Rajan, R., see Patuzzi, R. (60) 165
Rarey, K.E., see Ten Cate, W.J.F. (60) 199
Reuter, G., Gitter, A.H., Thurm, U. and Zenner, H.-P.
High frequency radial movements of the reticular lamina induced by outer hair cell motility (60) 236

Schmidt, R.N., see Kaltenbach, J.A. (60) 205
Schwarz, D.W.F., Schwarz, I.E. and Dezsö, A.
Cochlear efferent neurons projecting to both ears in the chicken, *Gallus domesticus* (60) 110
Schwarz, I.E., see Schwarz, D.W.F. (60) 110
Schweitzer, L. and Cecil, T.
Morphology of HRP-labelled cochlear nerve axons in the dorsal cochlear nucleus of the developing hamster (60) 34
Shannon, R.V., see Zeng, F.-G. (60) 231
Stach, B.A., see Elkind-Hirsch, K.E. (60) 143
Stoner, W.R., see Elkind-Hirsch, K.E. (60) 143
Summers, M.C., see Oberholtzer, J.C. (60) 103
Suzuki, H., Lee, Y.C., Tachibana, M., Hozawa, K., Wataya, H. and Takasaka, T.
Quantitative carbohydrate analyses of the tectorial and otoconial membranes of the guinea pig (60) 45

Tachibana, M., see Suzuki, H. (60) 45
Takasaka, T., see Suzuki, H. (60) 45
Tashiro, Y., see Kawasaki, K. (60) 64

Ten Cate, W.J.F., Curtis, L.M. and Rarey, K.E.
Immunochemical detection of glucocorticoid receptors within rat cochlear and vestibular tissues (60) 199
Thurm, U., see Reuter, G. (60) 236
Tono, T. and Morizono, T.
Low-frequency modulation of compound action potential in experimental perilymphatic fistula and endolymphatic hydrops (60) 27

Walsh, E.J., Gorga, M. and McGee, J.A.
Comparisons of the development of auditory brainstem response latencies between cats and humans (60) 53
Wataya, H., see Suzuki, H. (60) 45
Webb, W.W., see Denk, W. (60) 89

Yamamoto, A., see Kawasaki, K. (60) 64
Ylikoski, J., Pirvola, U. and Lehtonen, E.
Distribution of F-actin and fodrin in the hair cells of the guinea pig cochlea as revealed by confocal fluorescence microscopy (60) 80

Zeng, F.-G. and Shannon, R.V.
Loudness balance between electric and acoustic stimulation (60) 231
Zenner, H.-P., see Reuter, G. (60) 236
Zenner, H.P., see Gitter, A.H. (60) 13
Zhou, N. and Parks, T.N.
γ-D-glutamylaminomethyl sulfonic acid (GAMS) distinguishes subtypes of glutamate receptor in the chick cochlear nucleus (nuc. magnocellularis) (60) 20

Subject Index

Acoustic click
Grassfrog; Interaural time difference; Sound localization; System identification; Torus semicircularis (Melssen, W.J. (60) 178)

Acoustic processing
Temporal analysis; Pitch; Neuronal mechanisms (Langner, G. (60) 115)

Acoustic trauma
Cochlea; Stereocilia; Noise-induced hearing loss; Hamster (Kaltenbach, J.A. (60) 205)

Active process
Sensorineural hearing loss; Additivity; Receptor current (Patuzzi, R. (60) 165)

Threshold losses; Acute noise exposures; Additivity (Rajan, R. (60) 216)

Acute noise exposures
Threshold losses; Additivity; Active process (Rajan, R. (60) 216)

Additivity
Sensorineural hearing loss; Active process; Receptor current (Patuzzi, R. (60) 165)

Threshold losses; Acute noise exposures; Active process (Rajan, R. (60) 216)

Amplitude
Auditory brainstem; Tonal stimuli; Rate; Latency; Rat (Newton, E.H. (60) 73)

K-ATPase
Quantitative immunogold electronmicroscopy; Na; Rat; Vestibular apparatus (Kawasaki, K. (60) 64)

Auditory
Axons; Development; Cochlear nerve; Cochlear nucleus; Tonotopic; Tuning (Schweitzer, L. (60) 34)

Auditory brainstem
Tonal stimuli; Rate; Latency; Amplitude; Rat (Newton, E.H. (60) 73)

Auditory brainstem response
Menstrual cycle; Estrogen effect; Oral contraceptives (Elkind-Hirsch, K.E. (60) 143)

Auditory evoked brainstem response
Evoked potential; Human; Cat; Development (Walsh, E.J. (60) 53)

Auditory pathway
Cochlear efferents; Bilateral projection; Birds (Schwarz, D.W.F. (60) 110)

Auditory system
Kainic acid; Domoic acid; Quisqualic acid; Quinoxalinediones (Zhou, N. (60) 20)

Avian
Cochlea; Protein synthesis; Quantitation (Oberholtzer, J.C. (60) 103)

Axons
Auditory; Development; Cochlear nerve; Cochlear nucleus; Tonotopic; Tuning (Schweitzer, L. (60) 34)

$2f_1-f_2$: Bat
Cochlea; Distortion products; Salicylate (Kössl, M. (60) 156)

Bilateral projection
Cochlear efferents; Auditory pathway; Birds (Schwarz, D.W.F. (60) 110)

Birds
Cochlear efferents; Bilateral projection; Auditory pathway (Schwarz, D.W.F. (60) 110)

Carbohydrate composition
Tectorial membrane; Otoconial membrane; High-performance anion-exchange chromatography; Glycopeptidase F; Endo-β-galactosidase (Suzuki, H. (60) 45)

Cat
Evoked potential; Auditory evoked brainstem response; Human; Development (Walsh, E.J. (60) 53)

Cell membrane potential difference
Cochlea; Ion channels; Outer hair cell; Potassium permeability (Gitter, A.H. (60) 13)

Cochlea
Hair cell; Nonlinearity; Two-tone suppression (Cheatham, M.A. (60) 1)

Cell membrane potential difference; Ion channels; Outer hair cell; Potassium permeability (Gitter, A.H. (60) 13)

Avian; Protein synthesis; Quantitation (Oberholtzer, J.C. (60) 103)

Distortion products; $2f_1-f_2$: Bat; Salicylate (Kössl, M. (60) 156)

Stereocilia; Noise-induced hearing loss; Acoustic trauma; Hamster (Kaltenbach, J.A. (60) 205)

Cochlear amplifier
Frequency selectivity; Speech discrimination; Hearing loss (Reuter, G. (60) 236)

Cochlear efferents
Bilateral projection; Auditory pathway; Birds (Schwarz, D.W.F. (60) 110)

Cochlear nerve
Auditory; Axons; Development; Cochlear nucleus; Tonotopic; Tuning (Schweitzer, L. (60) 34)

Cochlear nucleus
Auditory; Axons; Development; Cochlear nerve; Tonotopic; Tuning (Schweitzer, L. (60) 34)

Compound action potential
Perilymphatic fistula; Endolymphatic hydrops; Low-frequency bias, Guinea pig (Tono, T. (60) 27)

Cytoskeleton
Immunohistochemistry; Hair cells; Surface specimens (Ylikoski, J. (60) 80)

Development
Auditory; Axons; Cochlear nerve; Cochlear nucleus; Tonotopic; Tuning (Schweitzer, L. (60) 34)

Evoked potential; Auditory evoked brainstem response; Human; Cat (Walsh, E.J. (60) 53)

Distortion products
Cochlea; $2f_1-f_2$: Bat; Salicylate (Kössl, M. (60) 156)

Domoic acid
Kainic acid; Quisqualic acid; Quinoxalinediones; Auditory system (Zhou, N. (60) 20)

Electric stimulation
Loudness balance; Loudness function (Zeng, F.-G. (60) 231)

ELISA
Inner ear; Steroid receptor; Western blot (Ten Cate, W.J.F. (60) 199)

Endo-β-galactosidase
Tectorial membrane; Otoconial membrane; Carbohydrate composition; High-performance anion-exchange chromatography; Glycopeptidase F (Suzuki, H. (60) 45)

Endolymphatic hydrops
Perilymphatic fistula; Compound action potential; Low-frequency bias, Guinea pig (Tono, T. (60) 27)

Estrogen effect
Auditory brainstem response; Menstrual cycle; Oral contraceptives (Elkind-Hirsch, K.E. (60) 143)

Evoked potential
Auditory evoked brainstem response; Human; Cat; Development (Walsh, E.J. (60) 53)

Frequency selectivity
Cochlear amplifier; Speech discrimination; Hearing loss (Reuter, G. (60) 236)

Glycopeptidase F
Tectorial membrane; Otoconial membrane; Carbohydrate composition; High-performance anion-exchange chromatography; Endo-β-galactosidase (Suzuki, H. (60) 45)

Grassfrog
Acoustic click; Interaural time difference; Sound localization; System identification; Torus semicircularis (Melssen, W.J. (60) 178)

Hair bundle
Thermal noise; Hearing (Denk, W. (60) 89)

Hair cell
Cochlea; Nonlinearity; Two-tone suppression (Cheatham, M.A. (60) 1)

Hair cells
Immunohistochemistry; Cytoskeleton; Surface specimens (Ylikoski, J. (60) 80)

Hamster
Cochlea; Stereocilia; Noise-induced hearing loss; Acoustic trauma (Kaltenbach, J.A. (60) 205)

Hearing
Hair bundle; Thermal noise (Denk, W. (60) 89)

Hearing loss
Cochlear amplifier; Frequency selectivity; Speech discrimination (Reuter, G. (60) 236)

High-performance anion-exchange chromatography
Tectorial membrane; Otoconial membrane; Carbohydrate composition; Glycopeptidase F; Endo-β-galactosidase (Suzuki, H. (60) 45)

Human
Evoked potential; Auditory evoked brainstem response; Cat; Development (Walsh, E.J. (60) 53)

Immunohistochemistry
Hair cells; Cytoskeleton; Surface specimens (Ylikoski, J. (60) 80)

Inner ear
Steroid receptor; ELISA; Western blot (Ten Cate, W.J.F. (60) 199)

Interaural time difference
Acoustic click; Grassfrog; Sound localization; System identification; Torus semicircularis (Melssen, W.J. (60) 178)

Ion channels
Cell membrane potential difference; Cochlea; Outer hair cell; Potassium permeability (Gitter, A.H. (60) 13)

Kainic acid
Domoic acid; Quisqualic acid; Quinoxalinediones; Auditory system (Zhou, N. (60) 20)

Latency
Auditory brainstem; Tonal stimuli; Rate; Amplitude; Rat (Newton, E.H. (60) 73)

Loudness balance
Electric stimulation; Loudness function (Zeng, F.-G. (60) 231)

Loudness function
Loudness balance; Electric stimulation (Zeng, F.-G. (60) 231)

Low-frequency bias, Guinea pig
Perilymphatic fistula; Endolymphatic hydrops; Compound action potential (Tono, T. (60) 27)

Menstrual cycle
Auditory brainstem response; Estrogen effect; Oral contraceptives (Elkind-Hirsch, K.E. (60) 143)

Motility
Noise induced hearing loss; Temporary threshold shift; Susceptibility; Training (Miyakita, T. (60) 149)

Na
Quantitative immunogold electronmicroscopy; K-ATPase; Rat; Vestibular apparatus (Kawasaki, K. (60) 64)

Neuronal mechanisms
Acoustic processing; Temporal analysis; Pitch (Langner, G. (60) 115)

Noise induced hearing loss
Temporary threshold shift; Susceptibility; Training; Motility (Miyakita, T. (60) 149)

Noise-induced hearing loss
Cochlea; Stereocilia; Acoustic trauma; Hamster (Kaltenbach, J.A. (60) 205)

Nonlinearity
Cochlea; Hair cell; Two-tone suppression (Cheatham, M.A. (60) 1)

Oral contraceptives
Auditory brainstem response; Menstrual cycle; Estrogen effect (Elkind-Hirsch, K.E. (60) 143)

Otoconial membrane
Tectorial membrane; Carbohydrate composition; High-performance anion-exchange chromatography; Glycopeptidase F; Endo-β-galactosidase (Suzuki, H. (60) 45)

Outer hair cell
Cell membrane potential difference; Cochlea; Ion channels; Potassium permeability (Gitter, A.H. (60) 13)

Perilymphatic fistula
Endolymphatic hydrops; Compound action potential; Low-frequency bias, Guinea pig (Tono, T. (60) 27)

Pitch
Acoustic processing; Temporal analysis; Neuronal mechanisms (Langner, G. (60) 115)

Potassium permeability
Cell membrane potential difference; Cochlea; Ion channels; Outer hair cell (Gitter, A.H. (60) 13)

Protein synthesis
Avian; Cochlea; Quantitation (Oberholtzer, J.C. (60) 103)

Quantitation
Avian; Cochlea; Protein synthesis (Oberholtzer, J.C. (60) 103)

Quantitative immunogold electronmicroscopy
Na; K-ATPase; Rat; Vestibular apparatus (Kawasaki, K. (60) 64)

Quinoxalinediones
Kainic acid; Domoic acid; Quisqualic acid; Auditory system (Zhou, N. (60) 20)

Quisqualic acid
Kainic acid; Domoic acid; Quinoxalinediones; Auditory system (Zhou, N. (60) 20)

Rat
Quantitative immunogold electronmicroscopy; Na; K-ATPase; Vestibular apparatus (Kawasaki, K. (60) 64)

Auditory brainstem; Tonal stimuli; Rate; Latency; Amplitude (Newton, E.H. (60) 73)

Rate
Auditory brainstem; Tonal stimuli; Latency; Amplitude; Rat (Newton, E.H. (60) 73)

Receptor current
Sensorineural hearing loss; Additivity; Active process (Patuzzi, R. (60) 165)

Salicylate
Cochlea; Distortion products; $2f_1-f_2$: Bat (Kössl, M. (60) 156)

Sensorineural hearing loss
Additivity; Active process; Receptor current (Patuzzi, R. (60) 165)

Sound localization
Acoustic click; Grassfrog; Interaural time difference; System identification; Torus semicircularis (Melssen, W.J. (60) 178)

Speech discrimination
Cochlear amplifier; Frequency selectivity; Hearing loss (Reuter, G. (60) 236)

Stereocilia
Cochlea; Noise-induced hearing loss; Acoustic trauma; Hamster (Kaltenbach, J.A. (60) 205)

Steroid receptor
Inner ear; ELISA; Western blot (Ten Cate, W.J.F. (60) 199)

Surface specimens
Immunohistochemistry; Hair cells; Cytoskeleton (Ylikoski, J. (60) 80)

Susceptibility
Noise induced hearing loss; Temporary threshold shift; Training; Motility (Miyakita, T. (60) 149)

System identification
Acoustic click; Grassfrog; Interaural time difference; Sound localization; Torus semicircularis (Melssen, W.J. (60) 178)

Tectorial membrane
Otoconial membrane; Carbohydrate composition; High-performance anion-exchange chromatography; Glycopeptidase F; Endo-β-galactosidase (Suzuki, H. (60) 45)

Temporal analysis
Acoustic processing; Pitch; Neuronal mechanisms (Langner, G. (60) 115)

Temporary threshold shift
Noise induced hearing loss; Susceptibility; Training; Motility (Miyakita, T. (60) 149)

Thermal noise
Hair bundle; Hearing (Denk, W. (60) 89)

Threshold losses
Acute noise exposures; Additivity; Active process (Rajan, R. (60) 216)

Tonal stimuli
Auditory brainstem; Rate; Latency; Amplitude; Rat (Newton, E.H. (60) 73)

Tonotopic
Auditory; Axons; Development; Cochlear nerve; Cochlear nucleus; Tuning (Schweitzer, L. (60) 34)

Torus semicircularis
Acoustic click; Grassfrog; Interaural time difference; Sound localization; System identification (Melssen, W.J. (60) 178)

Training
Noise induced hearing loss; Temporary threshold shift; Susceptibility; Motility (Miyakita, T. (60) 149)

Tuning
Auditory; Axons; Development; Cochlear nerve; Cochlear nucleus; Tonotopic (Schweitzer, L. (60) 34)

Two-tone suppression
Cochlea; Hair cell; Nonlinearity (Cheatham, M.A. (60) 1)

Vestibular apparatus
Quantitative immunogold electronmicroscopy; Na; K-ATPase; Rat (Kawasaki, K. (60) 64)

Western blot
Inner ear; Steroid receptor; ELISA (Ten Cate, W.J.F. (60) 199)